



ALBERTSON

WATER DISTRICT NEWS

Volume 6, Number 1 • Spring 2015



Tough Winter Points To Preventive Program Success.

OUR LAST ISSUE POSED the question, "Are our winters more unpredictable than ever?" Now we know they are due to the constant wallop that Mother Nature gave us between December 2014 and March 2015. As in other rough winters, the Albertson Water District crew did an exceptional job of keeping the wells running, the hydrants in service and the infrastructure well maintained.

"I can't stress enough how important it is to have a preventive maintenance program that

really works and people who know how to make it happen,"

Commissioner Abbondondelo stated. "Properly planned maintenance and improvements enhance water system life. Our infrastructure improvements are meant to last, sometimes for the better part of a century. So investing in a plan is not just a big deal, it's a big deal over a long period of time. Planned maintenance and improvements are why there were no interruptions in water service despite a second consecutive harsh winter."



Commissioner Abbondondelo

McKINLEY UNDERWAY:

The McKinley Avenue paving project is underway! The AWD is especially pleased that the project received five competitive bids with a high bid of \$1,351,000.

The project was awarded at the low bid of \$780,580. Some 3,000 feet of 8-inch diameter ductile iron water main will replace the old 6-inch cast iron main and provide greatly increased water capacity. "Cast iron is very stable," Commissioner Rich Ockovic explained, "but ductile iron has greater durability and resists corrosion better. Ductile iron contains graphite, which restricts the development of fissures thereby resulting in increased malleability and greater service life. As water providers, there is no such thing as building for the short term. We are always thinking in terms of multiple decades."



Commissioner Ockovic



We Liked Ike.

As noted in previous newsletters, the 1.5 million gallon storage tank at Hollow Court was constructed in 1957 when cars sported tailfins and chrome bumpers, and brands like DeSoto, Packard and Hudson sadly exited the scene. Fifty-eight years later, the tank, which is inspected semi-annually, is receiving full refurbishment. It's neither an easy process nor a fast one as sandblasting of the interior and exterior painting are required. On a 15-year maintenance cycle, this refurbishment will ensure that the venerable tank meets all existing and pending OSHA safety standards. ETA is on schedule for this fall assuming fickle Mother Nature complies.



Hats off to Larry?

This winter was colder and whiter than any in recent memory. Your lifeline to fire protection, the nearly 450 fire hydrants in our District, were continually half buried by snow and ice. The AWD thanks all residents for their assistance in



keeping our hydrants clear of drifts and plowed snow this winter. Your

voluntary hands-on adoption of a hydrant ensured fast access against potential disasters in a winter that refused to end. Thanks to all!



GREAT Performances:

There may not be any Oscars in the offing, but the performance of the AWD Water Meter Replacement Program really emphasized its value this winter. Initiated in 2011, the radio wave technology that the new meters utilize performed with computerized accuracy... exactly as anticipated. AWD technicians were able to read meters remotely despite the frigid cold, icy roads and piled up snow. "Residents were not disturbed, readings were accurate," Commissioner Ken Vey stated, "so everyone benefited. And the process of replacing the remaining analog meters, 4,000 in total, is in high gear."



Commissioner Vey

Annual Drinking Water Quality Report For 2014

PUBLIC WATER SUPPLY ID#2902815

INTRODUCTION

To comply with State regulations, the Albertson Water District annually issues a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your tap water met all State drinking water health standards. We are proud to report that our system did not violate a maximum contaminant level or any other water quality standard. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or concerning your drinking water, please contact the EPA Safe Drinking Water Hotline (1-800-426-4791), the Nassau County Department of Health at (516) 227-9692, or the Albertson Water District at (516) 621-3610. We want our valued customers to be informed about your drinking water. If you want to learn more, please visit the EPA's website at <http://www.epa.gov/safewater/>, the Department of Health's website at <http://www.health.state.ny.us/>, or attend any of our regularly scheduled board meetings. The meetings are held on the first and third Tuesday of each month at 4 p.m. All meetings are at the District Office unless otherwise announced.

WHERE DOES OUR WATER COME FROM?

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for the public health.

One hundred percent of the water distributed to the District's consumers is pumped from wells drilled into the Magothy aquifer that underlies northwest Nassau County. The water levels in this aquifer dropped in the drought period of the mid-1960s and have risen in response to generally favorable precipitation that has occurred between 1970 and 2014. Available well supply from the aquifer has not diminished.

The Albertson Water District includes five wells located on three separate well fields located at Shepherd Lane, Hollow Court, and Stratford Drive South. The District maintains interconnections with the neighboring water supplies of the Village of Williston Park, the Village of East Williston, and the water districts of Garden City Park, Roslyn, and Manhasset-Lakeville. The District is 100% metered and has an active cross connection control program in compliance with the State sanitary code. During 2014, our system did not experience any restriction of our water source.

All water pumped to the distribution system in 2014 was treated to remove volatile organic chemicals using packed tower aeration (air stripping towers). The process is completely natural, using air delivered through the packing media in the tower past the cascading water to remove the volatiles from

the water. The treated water discharges from the tower to a clear well where it is pumped to the distribution system. In addition to packed tower aeration, source water for the district is treated with sodium hydroxide to increase pH and reduce corrosivity. Disinfection is required by the Nassau County Department of Health. The District disinfects its water supply by feeding small amounts of liquid chlorine into the distribution system at each pumping station.

The Nassau County Department of Health completed a Source Water Assessment Program for the Albertson Water District. Possible and actual threats to this drinking water source were evaluated. The source water assessment includes a susceptibility rating based on the risk posed by each potential source of contamination and how rapidly contaminants can move through the subsurface to the wells. The susceptibility of a water supply well to contamination is dependent upon both the presence of potential sources of contamination within the well's contributing area and the likelihood that the contaminant can travel through the environment to reach the well. The susceptibility rating is an estimate of the potential for contamination of the source water; it does not mean that the water delivered to consumers is, or will become, contaminated. See the section "ARE THERE CONTAMINANTS IN OUR DRINKING WATER?" for a list of the contaminants that have been detected. The source water assessments provide resource managers with additional information for protecting source waters into the future.

Drinking water is derived from five wells in the Albertson Water District. The source water assessment has rated most of the wells as having a very high susceptibility to industrial solvents and a high susceptibility to nitrates. The very high susceptibility to industrial solvents is due primarily to point sources of contamination related to transportation routes and commercial/industrial activities in the assessment area. The high susceptibility to nitrate contamination is attributable to high-density residential land use practices in the assessment area, such as fertilizing of lawns.

A copy of the assessment, including a map of the assessment area, can be obtained by contacting the Nassau County Department of Health.

2014 Drinking Water Quality Report: TABLE 1

Contaminant	Violation Yes/No	Date of Sample	Level Detected (Avg/Max) (Range) ⁽¹⁾	Unit Measurement	MCLG OR MRDLG	Regulatory Limit (MCL, MRDL, or AL)	Likely Source of Contamination
Inorganics							
Barium	No	1/23/14	0.0041	mg/L	2	MCL - 2	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Calcium	No	1/23/14	13.8	mg/L	n/a	n/a	Naturally occurring
Chloride	No	1/23/14	29	mg/L	n/a	MCL - 250	Naturally occurring or indicative of road salt contamination
Iron	No	1/23/14	40	µg/L	n/a	MCL - 300	Naturally occurring
Magnesium	No	1/23/14	6.4	mg/L	n/a	n/a	Naturally occurring
Sodium	No	1/23/14	15.4	mg/L	n/a	20 / 270 ⁽²⁾	Naturally occurring; Road salt; Water softeners; Animal waste
Sulfate	No	1/23/14	19	mg/L	n/a	MCL - 250	Naturally occurring
Inorganics – Nitrate							
Nitrate	No	1/23/14	3.92 (3.83 - 3.92)	mg/L	10	MCL - 10	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
Physical Characteristics							
Calcium Hardness	No	1/23/14	34.4	mg/L	n/a	n/a	Naturally occurring
Langlier Saturation Index	No	1/23/14	-1.33	units	n/a	n/a	Naturally occurring
pH	No	3/5/14	7.6 (7.2 - 7.9)	units	n/a	n/a	Naturally occurring
Total Alkalinity	No	1/23/14	20.2	mg/L	n/a	n/a	Naturally occurring
Total Dissolved Solids	No	1/23/14	107	mg/L	n/a	n/a	Naturally occurring
Total Hardness	No	1/23/14	60.7	mg/L	n/a	n/a	Naturally occurring
Disinfectant							
Chlorine Residual	No	1/13/14	0.95 (0.5 - 1.3)	mg/L	n/a	MRDL-4 ⁽³⁾	Water additive used to control microbes
Organic Contaminants							
Tetrachloroethene	No	10/20/14	0.55 (ND - 4.5)	µg/L	0	MCL - 5	Discharge from metal degreasing sites and other factories
Radioactive Contaminants							
Gross Alpha Activity	No	2/11/14	< 1.0 ⁽⁴⁾	pCi/L	0	MCL - 15	Erosion of natural deposits
Beta Activity	No	2/11/14	1.085 ⁽⁴⁾	pCi/L	0	MCL-50 ⁽⁵⁾	Erosion of natural deposits
Combined Radium (Ra226+Ra228)	No	2/11/14	< 1.0 ⁽⁶⁾	pCi/L	0	MCL - 5	Erosion of natural deposits
Unregulated Contaminant Monitoring Rule 3 Contaminants ⁽⁷⁾							
Chlorate	No	8/18/14	200 (71 - 200)	ug/L	n/a	n/a	By-product of drinking water disinfection needed to kill harmful organisms
Chromium	No	8/18/14	0.66 (0.38 - 0.66)	ug/L	100	MCL - 100	Naturally occurring; Industrial discharge from plating industry
Chromium, Hexavalent	No	8/18/14	0.53 (ND - 0.53)	ug/L	100	MCL - 100	Naturally occurring; Industrial discharge from plating industry
1,4-Dioxane	No	8/18/14	0.49 (0.07 - 0.49)	ug/L	n/a	MCL - 50	Released into the environment through its use as a solvent and in textile processing, printing processes, and detergent preparations
Strontium	No	8/18/14	87.8 (27.8 - 87.8)	ug/L	n/a	n/a	Naturally occurring
Contaminant	Violation Yes/No	Date of Sample	90 th Percentile and Range ⁽¹⁾	Unit Measurement	MCLG	Regulatory Limit (AL)	Likely Source of Contamination
Lead and Copper Contaminants							
Copper	No	8/8/13	0.04 (ND - 0.06) ⁽⁸⁾	mg/L	1.3	AL - 1.3	Corrosion of household plumbing systems; Erosion of natural deposits
Lead	No	9/18/13	2.26 (ND - 10.1) ⁽⁹⁾	µg/L	0	AL - 15	Corrosion of household plumbing systems; Erosion of natural deposits
Contaminant	Violation Yes/No	Date of Sample	Highest LRAA Detected and Range ⁽¹⁰⁾	Unit Measurement	MCLG	Regulatory Limit (MCL)	Likely Source of Contamination
Disinfection By-Products, Stage II							
Total Trihalomethanes	No	10/8/13	1.675 (ND - 3.1)	µg/L	n/a	MCL - 80	By-product of drinking water chlorination needed to kill harmful organisms
Total Haloacetic Acids	No	7/14/14	<2	µg/L	n/a	MCL - 60	By-product of drinking water disinfection needed to kill harmful organisms

Notes:
 (1) When compliance with the MCL is determined more frequently than annually, the data reported is the maximum value or the highest average of any of the sampling points used to determine compliance and the range of detected values.

(2) Water containing more than 20 mg/L of sodium should not be used for drinking by people on severely-restricted sodium diets. Water containing more than 270 mg/L of sodium should not be used for drinking by people on moderately-restricted sodium diets.

(3) The value represents the Maximum Residual Disinfectant Level (MRDL). MRDLs are not currently regulated, but in the future they will be enforceable in the same manner as MCLs.

(4) The contaminant levels represent the average of gross alpha and beta activities in raw water samples taken from multiple wells.

(5) The State considers 50 pCi/L to be the level of concern for beta particles.

(6) The contaminant level represents the combined average of radium 226 and 228 in raw water samples taken from multiple wells.

(7) The Unregulated Contaminant Monitoring Rule 3 (UCMR3) is a US EPA water quality sampling program which monitors unregulated but emerging contaminants in drinking water. The results of the sampling will determine if such contaminants will need to be regulated in the future.

(8) The level represents the 90th percentile of the 30 sites tested and the range of values. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the copper values detected at your water system. In this case, thirty samples were collected at your water system and the 90th percentile value was the twenty-seventh highest value (0.04 mg/L). The action level for copper was not exceeded at any of the sites tested.

(9) The level represents the 90th percentile of the 30 sites tested and the range of values. The action level for lead was not exceeded at any of the sites tested.

(10) The levels presented represent the highest locational running annual average (LRAA) and the range of values at the four sites tested under the Disinfection Byproduct Rule Stage II sampling.

Definitions:

MCLG: Maximum Contaminant Level Goal, the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MCL: Maximum Contaminant Level, the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLG as possible.

MRDLG: Maximum Residual Disinfectant Level Goal; The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

MRDL: Maximum Residual Disinfectant Level; The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

AL: Action Level; The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

ND: Non-Detects, laboratory analysis indicates that the constituent is not present.

mg/L: Milligrams per Liter; Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

ug/L: Micrograms per Liter; Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

pCi/L: picoCuries per Liter; A measure of the radioactivity in water.

n/a: not applicable; i.e., no value is assigned by regulatory authorities.

FACTS AND FIGURES: Our water system serves approximately 13,500 residents through 4,054 service connections. The total amount of water pumped from the ground in 2014 was 806,872,000 gallons. Through metered sales, 621,521,000 gallons were delivered to the consumers of the Albertson Water District. This leaves an unaccounted-for total of 185,351,000 gallons (23% of the total amount produced). This water was used in fire fighting, sewer cleaning, hydrant flushing to alleviate turbid water conditions, water main breaks, service leaks, drilling of a new well casing, and theft of service. In 2014, the annual water charge for the average consumer was \$330.16.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As State regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include: total Coliform, Escherichia Coliform, turbidity, inorganic compounds, nitrate, nitrite, lead and copper, volatile organic compounds, total trihalomethanes, haloacetic acids, and radiological compounds. The table presented on page 4, Table 1, depicts which compounds were detected in your drinking water.

A supplement to this report showing laboratory results of all samples (treated and untreated) and samples taken by the Nassau County Department of Health is available upon request. Contact Mr. Rudolph Henriksen, Water District Superintendent, at the Albertson Water District Office, (516) 621-3610, or at P.O. Box 335, Albertson, NY 11507.

Contamination of the groundwater from Albertson Water District has been detected in samples from some wells. All groundwater pumped to the distribution system from the operating Water District wells complies with New York State Department of Health Standards for public drinking water supplies. It should be noted that all drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (1-800-426-4791) or the Nassau County Department of Health at (516) 227-9692.

Table 1 shows the detected results of our monitoring for the period of January 1st to December 31st, 2014.

Not included in the table are the more than 80 other contaminants which were tested for and not detected in the wells and distribution system. These undetected contaminants are listed herein:

Organics (including Other Principal Organics): 1,1,1,2-tetrachloroethane, 1,1,1-trichloroethane, 1,1,2,2-tetrachloroethane, 1,1,2-trichloroethane, 1,1-dichloroethane, 1,1-dichloroethene, 1,1-dichloropropene, 1,2,3-trichlorobenzene, 1,2,3-trichloropropane, 1,2,4-trichlorobenzene, 1,2,4-trimethylbenzene, 1,2-dichlorobenzene, 1,2-dichloroethane, 1,2-dichloropropane, 1,3,5-trimethylbenzene, 1,3-dichlorobenzene, 1,3-dichloropropane, 1,4-dichlorobenzene, 2,2-dichloropropane, 2,4-chlorotoluene, 4-isopropyltoluene, benzene, bromobenzene, bromochloromethane, bromomethane, carbon tetrachloride, chlorobenzene, chloroethane, chloromethane, cis-1,2-dichloroethene, cis-1,3-dichloropropene, dibromomethane, dichlorodifluoromethane, ethylbenzene, hexachlorobutadiene, isopropylbenzene, m,p-xylene, methyl tert-butyl ether, methylene chloride, n-butylbenzene, n-propylbenzene, o-xylene, sec-butylbenzene, styrene, tert-butylbenzene, toluene, trans-1,2-dichloroethene, trans-1,3-dichloropropene, trichloroethene, trichlorofluoromethane, and vinyl chloride.

Disinfection By-Products [Trihalomethanes (THMs) and Haloacetic Acids (HAA5s)] – bromoacetic acid, chloroacetic acid, dibromoacetic acid, dichloroacetic acid, total haloacetic acid, and trichloroacetic acid.

Inorganics and Physical Characteristics – manganese, zinc, antimony, arsenic, beryllium, cadmium, mercury, nickel, selenium, silver, thallium, fluoride, free cyanide, color, MBAS, ammonia nitrogen (as N), nitrite (as N), and odor.

Microbiological – total Coliform, Escherichia Coliform, and turbidity.

Unregulated Contaminant Monitoring Rule 3 – cobalt, molybdenum, vanadium, 1,3-butadiene, chlorodifluoromethane, perfluorobutanesulfonic acid, perfluoroheptanoic acid, perfluorohexanesulfonic acid, perfluorononanoic acid, perfluorooctanesulfonic acid, and perfluorooctanoic acid.

The State allows testing for some contaminants less than once per year because concentrations of these contaminants do not change frequently. Some data, though representative, are more than a year old.

The most recent radiological sampling took place in 2014. Raw samples were collected from the District wells and analyzed for gross alpha and beta activities and radium 226 and 228, measured in picoCuries per Liter (pCi/L). The maximum contaminant level for gross alpha activity in water is 15 pCi/L. The 2014 average of the gross alpha samples was 0.859 pCi/L. The level of concern for beta activity in water is 50 pCi/L. The 2014 average of the beta activity was 1.085 pCi/L. The maximum contaminant level for combined radium 226 and 228 in water is 5 pCi/L. The 2014 average of combined radium 226 and 228 samples was 0.891 pCi/L. In accordance with State regulations, the Albertson Water District will continue to monitor for radiological contaminants in the future.

The most recent lead and copper sampling took place in 2013. Samples were collected from the distribution system at thirty sites and analyzed for lead and copper. Lead is measured in micrograms per Liter (ug/L). The Action Level (AL) for lead is 15 ug/L. The AL for lead was not exceeded at any of the sites tested. Copper is measured in milligrams per Liter (mg/L). The AL for copper is 1.3 mg/L and the MCLG for copper is 1.3 mg/L. The AL for copper was not exceeded at any of the sites tested.

The levels of lead and copper presented in Table 1 indicate the 90th percentile of those contaminants at the 30 sites tested. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the lead and copper values detected at your water system. Thirty samples were collected from your water system and the 90th percentile values for lead and copper were the twenty-seventh highest values for those contaminants. The 90th percentile for lead as shown in Table 1 is 2.26 ug/L and the 90th percentile for copper as shown in Table 1 is 0.04 mg/L.

The District is required to take samples for trihalomethanes and haloacetic acids from specific locations in the distribution system under the Stage II Disinfection By-Product Rule. This sampling program was initiated during the quarter beginning October 1, 2013 and continued throughout 2014. Contaminants detected under this sampling program are listed in Table 1 and the associated laboratory results are included in the Supplement.

The highest level of a contaminant allowed in drinking water is known as the Maximum Contaminant Level (MCL). The level of a contaminant below which there is no known or expected health risk is known as the Maximum Contaminant Level Goal (MCLG). MCLGs allow for a margin of safety.

The highest level of disinfectant allowed in drinking water is known as the Maximum Residual Disinfectant Level (MRDL). There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants. The level of drinking water disinfectant below which there is no known or expected health risk is known as the Maximum Residual Disinfectant Level Goal (MRDLG). MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

The concentration of a contaminant that, if exceeded, triggers treatment or other requirements that a water system must follow is known as the Action Level (AL).

WHAT DOES THIS INFORMATION MEAN?

As you can see by Table 1, our system had no violations. We learned through our testing that some contaminants have been detected; however, these contaminants were detected below New York State requirements.

We are required to present the following information on lead in drinking water:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Albertson Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at www.epa.gov/safewater/lead.

DO I NEED TO TAKE SPECIAL PRECAUTIONS?

Although our drinking water met or exceeded state and federal regulations, some people may be more vulnerable to disease-causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium*, *Giardia*, and other microbial pathogens are available from the Safe Drinking Water Hotline (1-800-426-4791).

INFORMATION ON UNREGULATED CONTAMINANTS

Unregulated contaminants are those for which the EPA has not established drinking water standards. The Albertson Water District is monitoring for additional contaminants under the EPA's Unregulated Contaminant Monitoring Rule 3 (UCMR3). The information collected under the UCMR3 will help the EPA determine future drinking water regulations. The results of the 2014 monitoring program are listed in Table 1 and are available within the Supplement.

INFORMATION FOR NON-ENGLISH SPEAKING RESIDENTS

Spanish

Este informe contiene información muy importante sobre su agua beber. Tradúzcalo ó hable con alguien que lo entienda bien.

SYSTEM IMPROVEMENTS

In 2014, the following system improvements were initiated: the installation of Well 3A, roof repairs at Well 5, and the meter replacement program. The projects planned for 2015 include the completion of roof repairs at Well 5, the McKinley Avenue water main improvements, the continued meter replacement program, the completion of the Well 3A installation, and roof repairs at the Shepherd Lane storage tank.

In our continuing efforts to maintain a safe and dependable water supply, it may be necessary to make improvements in your water system. The costs of these improvements may be reflected in the rate structure. Rate adjustments may be necessary in order to address these improvements.

WHY SAVE WATER AND HOW TO AVOID WASTING IT?

Water is a vital resource. The Albertson Water District encourages water conservation. Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- Saving water saves energy and some of the costs associated with both of these necessities of life;
- Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential fire fighting needs are met.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- Check your toilets for leaks by putting a few drops of food coloring in the tank and watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.
- Use your water meter to detect hidden leaks. Simply turn off all taps and water-using appliances and then check the meter after 15 minutes. If it moved, you have a leak.
- Water your lawn in the early morning to reduce water loss by evaporation.

The total billed consumption for 2014 was \$1,338,480.73. As referenced earlier, the annual water charge for the average consumer was \$330.16. Reducing water use by 20% will result in a savings of approximately \$66.03 per year for the average consumer.

CLOSING

Thank you for allowing us to continue to provide your family with clean, quality drinking water this year. The Albertson Water District works hard to provide top quality water to every customer. We ask that all our customers help us protect our water resources, which are the heart of our community. Please call our office if you have any questions.

CONSERVATION MAKES SENSE... AND DOLLARS TOO!



Every year Long Island homeowners use many millions of gallons of potable water to irrigate a crop they never use. No, not backyard tomatoes or other summer veggies... but grass. Summer lawn irrigation is the culprit that keeps the wells pumping in high gear throughout the summer...but it doesn't have to be that way.

"In winter we ordinarily have one well active," Commissioner Ockovic noted. "In summer, four or five are in use. Lawn irrigation is the primary reason that July usage quadruples February usage...up to 4.6 million gallons per day! That pattern is typical across Long Island. Conserving water with less space devoted to lawns and the judicious planting of shrubs and trees, will not only save residents money but will put less stress on our single source aquifer and help our yards and the overall environment."

Abbondondelo Receives Honors:

Albertson Water Commissioner Howard Abbondondelo has finished his term as President of the Nassau Suffolk Water Commissioners' Association (NSWCA). Commissioner Abbondondelo was recently honored by new NSWCA President

Thomas P. Hand for meritorious service and presented with a handsome trophy commemorating his




leadership, guidance and concern above and beyond the responsibilities of his position as NSWCA President. Mr. Abbondondelo was also awarded a citation for outstanding individual achievement, leadership and selfless commitment on behalf of the citizens of Nassau County, presented by the Nassau County Department of Public Works on behalf of Nassau County.




Bye Bye & Welcome:

Well #3, originally drilled in 1955, has gone bye bye, and AWD residents will welcome new Well #3A in late spring or early summer 2015. Well #3 was closed, demolished and filled with concrete to a depth of 350 feet. It was capped and sealed as per NYS and DEP regulations. New Well #3A at Hollow Court will provide an additional capacity of approximately 1,100 gallons per minute (gpm). The newly constructed wellhouse blends comfortably into the surrounding area.



2014 ELECTION RESULTS:

On December 9, 2014, Richard Ockovic was reelected as Albertson Water Commissioner for the new three-year term effective January 1, 2015. Commissioner Ockovic, a lifelong Albertson resident, past Chief and member of the Albertson Fire Company for 39 years, has served as AWD Water Commissioner since 2008. His current term will expire on December 31, 2017.



WHO IS RESPONSIBLE FOR SERVICE LINE REPAIRS?


It is the Albertson Water District's responsibility to provide delivery and availability of high quality water, 24/7, 365 days per year. This includes maintaining some 50 miles of 6-inch to 20-inch water mains, two 1.5 million gallon underground storage tanks and a 500,000 gallon overhead storage tank.



Commissioner Vey

"The District's responsibility for the delivery of quality water is right up to the property line," Commissioner Ken Vey stated. "Property owners are responsible for the line and for connection from the property line to the home or building. And, of course, consumers are responsible for all the water that passes through the water meter."

If you experience a water leak in the delivery to your home or building, contact the Albertson Water District. If the District determines that the leak is between the property line and your home or building, you will be advised to contract with a licensed plumber to rectify the problem. These problems are infrequent. The District does not recommend plumbers or any other vendors.



Proudly designed and produced by
Progressive Marketing Group, Inc., Melville, NY USA
www.pmgstrategic.com

Counsel:
Anthony J. LaMarca

Superintendent:
Rudy Henriksen

Commissioners:
Howard Abbondandolo
Richard W. Ockovic
Kenneth Vey

Telephone: (516) 621-3610
Fax: (516) 626-8042
Business Hours: 8:00 a.m. – 4:00 p.m., Monday – Friday
www.albertsonwater.org

PO Box 335
Albertson, NY 11507 USA



Presorted
First Class Mail
U.S. POSTAGE
PAID
PERMIT No. 102
Albertson, NY 11507